

Publications:

Dainty, D., McGill S., Mason, M.J., Cotton, C. & Morrison, W. (1981). An ergonomic investigation of window use capacities of physically handicapped adults. In **Biomechanics VIIa**. Human Kinetics Publishers, Champaign IL., 553-560.

Mainwood, G.W., Renaud, J.M. & Mason, M.J. (1986). The pH dependence of the contractile response of fatigued skeletal muscle. **Can. J. Physiol. Pharmacol.** 65, 648-658.

Mason, M.J., Mainwood, G.W. & Thoden, J.S. (1986). The influence of extracellular buffer concentration and propionate on lactate efflux from frog muscle. **Pflügers Arch.** 409, 427-479.

Mason, M.J. (1987). Qualitative measurements of the entry of L-lactate into single surface fibres of frog skeletal muscle using a lactate sensitive micro-electrode. **Can. J. Physiol. Pharmacol.** 65, 2488-2491.

Mason, M.J. & Thomas, R.C. (1988). A micro-electrode study of the mechanisms for L-lactate entry into and release from frog sartorius muscle. **J. Physiol.** 400, 459-479.

Grinstein, S., Garcia-Soto, J. & Mason, M.J. (1988). Differential role of cation and anion exchange in lymphocyte pH regulation. In CIBA Foundation Symposium No. 139. **Proton Passage Across Cell Membranes**. John Wiley and Sons, Sussex, U.K., 70-78.

Mason, M.J., Smith, J., Garcia, J. & Grinstein, S. (1989). Internal pH-sensitive site couples Cl⁻ /HCO₃⁻ exchange to the Na⁺/H⁺ antiport in lymphocytes. **Am. J. Physiol.** 256, C428-C433.

Grinstein, S., Rotin, D. & Mason, M.J. (1989). Na⁺/H⁺ exchange and growth factor-induced cytosolic pH changes. Role in cellular proliferation. **Biochem. Biophys. Acta. Biomembrane Reviews.** 988, 73-97.

Paquet, M., Mason, M.J. & Grinstein, S. (1990). The pH of intracellular compartments. In **Monovalent Cations In Biological Systems**. Editor C.A. Pasternak, CRC Press, Boca Raton, Fl. USA.

Mason, M.J., Mattsson, K., Pasternack, M., Voipio, J. & Kaila, K. (1990). Postsynaptic fall in intracellular pH and increase in surface pH caused by efflux of formate and acetate anions through GABA-gated channels. **Neuroscience** 34(2), 359-368.

Mason, M.J. & Grinstein, S. (1990). Effect of cytoplasmic acidification on the membrane potential of T-lymphocytes. Role of trace metals. **J. Membr. Biol.** 116, 139-148.

Rotin, D., Mason, M.J. & Grinstein, S. (199). Channels, antiports and the regulation of cell volume in lymphoid cells. In **Volume and Osmolality Control in Animal Cells**. Editors R. Gilles, E.K. Hoffmann and L. Bolis, Springer-Verlag, Heidelberg, FRG. in press

Mahaut-Smith, M.P. & Mason, M.J. (1991). Single channel recordings of Ca²⁺-activated K⁺ channels in rat lymphocytes: Activation by concanavalin A. **J. Physiol.** 439, 513-528.

Mason, M.J., Mahaut-Smith, M.P. & Grinstein, S. (1991). The role of intracellular Ca²⁺ in the regulation of the plasma membrane Ca²⁺ permeability of unstimulated rat lymphocytes. **J. Biol. Chem.** 266, 10872-10879.

Mason, M.J., Garcia-Rodriguez, C. & Grinstein, S. (1991). Coupling between intracellular Ca²⁺ stores and the Ca²⁺ permeability of the plasma membrane: Comparison of the effects of thapsigargin, 2,5-di-(*tert*-butyl)1,4-hydroquinone and cyclopiazonic acid in rat thymic lymphocytes. **J. Biol. Chem.** 266, 20856-20862.

Mason, M.J., Mayer, B. & Hymel, L.J. (1993). Inhibition of Ca²⁺ transport pathways in rat thymic lymphocytes by econazole, miconazole and SKF 96365. **Am. J. Physiol.** 264, C654-C662.

Mason, M.J. & Grinstein, S. (1993). Ionomycin activates an electrogenic calcium uptake pathway by depleting an intracellular calcium pool in rat thymic lymphocytes. **Biochem. J.** 296, 33-39.

Wilson, O., Marriott, I., Mahaut-Smith, M.P., Hymel, J. & Mason, M.J. (1994). Isolation of a Ca²⁺ conductance activated by depletion of an intracellular Ca²⁺ pool in rat thymic lymphocytes. **J. Membr. Biol.** 137, 159-168.

Marriott, I., Bost, K.L. & Mason, M.J. (1994). The role of intracellular Ca²⁺-stores in the regulation of electrogenic plasma membrane Ca²⁺ uptake in a B-lymphocytic cell line. **J. Cell. Physiol.** 161, 441-448.

Bost, K.L & Mason, M.J. (1995). Thapsigargin and cyclopiazonic acid initiate rapid and dramatic increases of IL-6 mRNA expression and IL-6 secretion in murine peritoneal macrophages. **J. Immunol.** 155, 285-296.

Marriott, I. & Mason, M.J. (1995). ATP depletion inhibits capacitative Ca²⁺ entry in rat thymic lymphocytes. **Am. J. Physiol.** 269, C766-C774.

Inscho, E.W., Belott, T.P., Mason, M.J., Smith, J.B. & Navar, L.G. (1996). Extracellular ATP increases cytosolic calcium in cultured rat renal arterial smooth muscle cells. **Clin. Exper. Pharmacol. Physiol.** 23, 503-507.

Schofield, G.G. & Mason, M.J. (1996). A Ca²⁺ current activated by release of intracellular Ca²⁺ stores in rat basophilic leukemia cells (RBL-1). **J. Membr. Biol.** 153, 217-231.

Marriott, I. & Mason, M.J. (1996). Evidence for a phorbol ester insensitive phosphorylation step in capacitative calcium entry in rat thymic lymphocytes. **J. Biol. Chem.** 271 (43), 26732-26738.

Inscho, E.W., Mason, M.J., Schroeder, A.C., Deichmann, P.C., Steigler, K.D. & Imig, J.D. (1997). Agonist-induced calcium regulation in freshly isolated renal microvascular smooth muscle cells. **J. Am. Soc. Nephrol.** 8, 569-579.

Somasundaram, B., Mason, M.J. & Mahaut-Smith, M.P. (1997). Thrombin-dependent calcium signalling in single human erythroleukaemia cells. **J. Physiol.** 501, 485-495. Marriott, M., Bost, K.L. & Mason, M.J. (1998). Differential kinetics of induction of IL-6 mRNA expression in murine peritoneal macrophages: Evidence for calcium dependent and independent signalling pathways. **J. Cell. Physiol.** 177, 232-240.

Mahaut-Smith, M.P., Hussain, J.F. & Mason, M.J. (1999). Depolarisation-evoked Ca^{2+} release in a non-excitable cell, the rat megakaryocyte. **J. Physiol.** 515, 385-390.

Mason, M.J., Limberis, J. & Schofield, G.G. (1999). Transitional changes in membrane potential and intracellular $[\text{Ca}^{2+}]$ following depletion of intracellular Ca^{2+} stores in rat basophilic leukemia cells. **J. Membr. Biol.** 170, 79-87.

Marriott, I., Mason, M.J., Elhofy, A. & Bost, K.L. (2000). Substance P activates NF κ B independent of elevations in intracellular calcium in murine macrophages and dendritic cells. **J. Neuroimmunol.** 102, 163-171.

Mason, M.J., Hussain, J.F. & Mahaut-Smith, M.P. (2000). A novel role for membrane potential in the modulation of intracellular Ca^{2+} oscillations in rat megakaryocytes. **J. Physiol.** 524, 437-446.

Mason, M.J. & Mahaut-Smith, M.P. (2001). Voltage-dependent Ca^{2+} release in rat megakaryocytes requires functional IP₃ receptors. **J. Physiol.** 533, 175-183.

Thomas, D., Mason, M.J. & Mahaut-Smith, M.P. (2001). Depolarisation-evoked Ca^{2+} waves in the non-excitable rat megakaryocyte. **J. Physiol.** 537, 371-378.

Mahaut-Smith, M.P., Thomas, D., Higham, A.B., Usher-Smith, J.A., Hussain, J.F., Skepper, J.N. & Mason, M.J. (2003). Properties of the megakaryocyte demarcation membrane system in living megakaryocytes revealed by confocal fluorescence and whole-cell patch clamp techniques. **Biophysical J.** 84, 2646-2654.

Mason, M.J. & Mahaut-Smith, M.P. (2004). Measurement and Manipulation of Intracellular $[\text{Ca}^{2+}]$ in Single Platelets and Megakaryocytes. In **Platelets and Megakaryocytes Volume 2: Perspectives and Techniques**. Editors J.M. Gibbins and M.P. Mahaut-Smith, Humana Press, USA

Mason, M.J., Simpson, A.K., Mahaut-Smith, M.P. & Robinson, H.P.C. (2005). The interpretation of current clamp recordings in the cell-attached patch clamp configuration. **Biophysical J.** 88, 739-750.

Evans, N.E., Forth, M.K.L., Simpson, A.K. & Mason, M.J. (2005). Inhibition by calyculin A and okadaic acid of the Ca^{2+} release-activated Ca^{2+} entry pathway in rat basophilic leukemia cells: Evidence for regulation by type 1/2A serine/threonine phosphatase activity. **BBA Biomembranes** 1718, 32-43.

Harper, A.G.S., Mason, M.J. & Sage, S.O. (2009) A key role for dense granule secretion in potentiation of the Ca^{2+} signal arising from store-operated calcium entry in human platelets. **Cell Calcium** 45, 413-420.

Harper, M.T., Mason, M.J., Sage, S.O & Harper, A.G.S (2010) Phorbol ester-evoked Ca^{2+} signaling in human platelets is via autocrine activation of P2X₁ receptors, not a

novel non-capacitative Ca^{2+} entry. **J. Thrombs Haemostasis.** 8, 1604-1613.

Sage, S.O., Pugh, N., Mason, M.J. & Harper A.G.S. (2011) Monitoring the intracellular store Ca^{2+} concentration in agonist-stimulated, intact human platelets using Fluo-5N. **J Thromb Haemost.** 9, 540-551.

Mason, M.J., Schaffner, C., Floto, R.A. & Teo, Q.A. (2012) Constitutive expression of a Mg^{2+} inhibited K^+ current and a TRPM7-like current in human erythroleukemia cells. **Am. J. Physiol.** 302, C853-C867.

Stoneking, C.J., Shivakumar, O., Nicholson Thomas, D., Colledge, W.H. & Mason, M.J. (2013) Voltage dependence of the Ca^{2+} -activated K^+ channel KCa3.1 in human erythroleukemia cells. **Am. J. Physiol.** 304, C858-C872.

Stoneking, C.J. & Mason, M.J. (2014) Mg^{2+} modulation of the single channel properties of KCa3.1 in human erythroleukemia cells **Pflügers Arch.** 466, 1529-1539.

Littlechild, R., Zaidman, N., Khodaverdi, D. & Mason ,M.J. (2015) Block of KCa3.1 and Membrane Hyperpolarisation by 2-Aminoethoxydiphenyl Borate (2-APB) in Human Erythroleukemia (HEL) Cells: Implications for the Interpretation of 2-APB Inhibition of Ca^{2+} Release Activated Ca^{2+} (CRAC) Entry. **Cell Calcium** 57, 76-88.